Taking Your Hepatitis C Therapy:

Mavyret™

Glecaprevir/Pibrentasvir = Mavyret™

- Dose: 3 tablets daily at the same time each day, taken with food
- Mavyret™ comes in a 4-week carton; Each carton contains a 7-day supply of medications (One blister pack for each treatment = 3 pills per day)
- Tell your provider about all medicines you take, including prescription and over-the-counter medicines, vitamins, herbs, and supplements
- Get tested for hepatitis B (HBV); tell your provider if you are currently taking, or have ever taken, any medication for HBV
- Store Mavyret™ at room temperature (< 86° F)

Daily Medication Schedule

Start Date: _____ End Date: _____

Expected Treatment Duration: ____ weeks Test for Cure Date: _____

Morning Time: ____ am

Take 3 Mavyret™ tablets daily with food.

If You Miss a Dose:

Glecaprevir/Pibrentasvir = Mavyret™

- If you miss a dose (3 tablets) less than 18 hours from the usual time that Mavyret™ should have been taken, then take the dose (3 tablets) as soon as possible, and then take the next dose at the usual time
- If you miss a dose (3 tablets) more than 18 hours from the usual time that Mavyret™ should have been taken, then do not take that day's dose at all, and take the next dose (3 tablets) at the usual time
- Note: If you miss multiple doses, call your prescriber/clinic listed below

Prescriber/Clinic Contact: _____ For Refills: _____

VA | U.S. Department of Veterans Affairs
Veterans Health Administration